232 North Plaza Drive

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

1 of 1

## 01182024-FFMK

Sample ID: SA-240119-33432 Batch: 01/18/2024 Type: Finished Product - Inhalable Matrix: Concentrate - Badder Unit Mass (g):

Received: 01/25/2024 Completed: 02/05/2024 Client Abundant Labs 289 Silkwood Dr Canton, NC 28716 USA Lic. #: HP440



Summary Test

Cannabinoids

**Date Tested** 02/05/2024

Status Tested

70.2 % Total ∆9-THC

79.7 % Δ9-ΤΗCΑ

95.4 % **Total Cannabinoids** 

**Not Tested Moisture Content** 

**Not Tested** Foreign Matter

Internal Standard Normalization

Yes

Cannabinoids by HPLC-PDA and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCA	0.0181	0.0543	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDA	0.0043	0.013	ND	ND
CBDP	0.0067	0.02	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBDVA	0.0021	0.0063	ND	ND
CBG	0.0057	0.0172	0.602	6.02
CBGA	0.0049	0.0147	0.277	2.77
CBL	0.0112	0.0335	ND	ND
CBLA	0.0124	0.0371	ND	ND
CBN	0.0056	0.0169	0.199	1.99
CBNA	0.006	0.0181	0.393	3.93
CBT	0.018	0.054	ND	ND
Δ4,8-iso-THC	0.0067	0.02	ND	ND
Δ8-iso-THC	0.0067	0.02	ND	ND
Δ8-ΤΗС	0.0104	0.0312	13.0	130
Δ8-ΤΗСΡ	0.0067	0.02	ND	ND
Δ9-ΤΗС	0.0076	0.0227	0.268	2.68
Δ9-ΤΗCΑ	0.0084	0.0251	79.7	797
Δ9-ΤΗСΡ	0.0067	0.02	0.269	2.69
Δ9-ΤΗCV	0.0069	0.0206	ND	ND
Δ9-ΤΗCVA	0.0062	0.0186	0.625	6.25
Total Δ9-THC			70.2	702
Total			95.4	954

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit;  $\Delta$  = Delta; Total  $\Delta$ 9-THC =  $\Delta$ 9-THC +  $\Delta$ 9-THC; Total CBD = CBDA \* 0.877 +  $\Delta$ 9-THC; Total CBD = CBDA \* 0.877 + CBD;

Generated By: Alex Morris Quality Manager Date: 02/05/2024

Tested By: Scott Caudill Laboratory Manager Date: 02/05/2024









This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories KCA Laboratories and provide measurement uncertainty upon request.